

## 花蓮港港灣設施營運碼頭

內港碼頭名稱	碼頭長度(M)	設計水深(M)	可靠泊水深(M)	泊船噸位(T)	用途說明
 一號碼頭	130	7.5	7.0	6,000	多功能碼頭， 拖船靠泊碼頭
 二號碼頭	130	7.5	7.0	6,000	多功能碼頭、 拖船靠泊碼頭、 海關承租碼頭
 三號碼頭	150	7.5	7.0	6,000	多功能碼頭
 四號碼頭	160	8.5	8.0	10,000	雜貨碼頭、 管道（油料碼頭）
 五號碼頭	160	8.5	8.0	10,000	海巡專用碼頭
 六號碼頭	150	8.5	8.0	10,000	海巡專用碼頭
 七號碼頭	120	6.5	6.0	4,000	海巡專用碼頭
 八號碼頭	220	10.5	9.1	15,000	水泥專業碼頭

內港碼頭名稱	碼頭長度(M)	設計水深(M)	可靠泊水深(M)	泊船噸位(T)	用途說明
 九號碼頭	103	9.5	9.1	5,000	多功能碼頭
 十號碼頭	182	9.5	9.1	12,000	亞泥專用碼頭
 十一號碼頭	185	9.5	9.1	12,000	中鋼專用碼頭
 十二號碼頭	150	7.5	7.0	6,000	多功能碼頭
 十三號碼頭	185	9.5	9.1	12,000	多功能碼頭
 十四號碼頭	200	9.5	9.1	12,000	木料碼頭、 雜貨碼頭
 十五號碼頭	73	8.5	8.0	6,000	多功能碼頭
 十六號碼頭	152	7.5	7.0	6,000	客運碼頭

外港碼頭名稱	碼頭長度(M)	設計水深(M)	可靠泊水深(M)	泊船噸位(T)	用途說明
 十七號碼頭	200	12.0	11	30,000	砂石專業碼頭
 十八號碼頭	200	12.0	11	30,000	亞泥專用碼頭
 十九號碼頭	310	14.0	13	60,000	油管管道、 木料、 雜貨碼頭
 二十號碼頭	302	14.0	13	60,000	砂石專業碼頭
 二十一號碼頭	200	14.0	13	60,000	砂石專業碼頭
 二十二號碼頭	200	14.0	13	60,000	多功能碼頭
 二十三號碼頭	272	14.0	13	60,000	客運碼頭 (指泊次序： 國際郵輪優先， 國內客輪次之， 其他客貨輪)
 二十四號碼頭	271	14.0	13	60,000	木料、 油管管道、 雜貨碼頭
 二十五號碼頭	332	16.5	15.5	60,000	雜貨碼頭